





Specification according to EN 1307

Type of manufacture	Tufted 1/10 "	ISO 2424
Aspect	Loop pile	ISO 2424
Dye method	Solution dyed	
Dimension	50 cm x 50 cm / 19,68" x 19,68"	EN ISO 24342
	(20 tiles per box)	
Primary backing	Polyester fleece	ISO 2424
Secondary backing	DESSO ProBase Polyver®	ISO 2424
Pile fibre composition	BCF Polyamide 6	ISO 2424
Total thickness	5.5 mm 0.2 inch	ISO 1765
Effective pile thickness	2.6 mm 0.10 inch	ISO 1766
Total mass	3900 g/m² 115.1 oz/yd²	ISO 8543
Total pile mass	500 g/m² 14.8 oz/yd²	ISO 2424
Effective pile mass	310 g/m² 9.1 oz/yd²	ISO 8543
Pile density	0.119 g/cm³ 0.0043 lb/in³	ISO 8543
Number of tufts	1580 /dm² 132104 /yd²	ISO 1763
Stroll test	≤ 2,0 kV	ISO 6356
Use classification	33 Commercial - heavy use	EN 1307
Dimensional stability	≤ 0,2 %	EN 986
Impact sound reduction ΔL_w	24 dB	ISO 10140
Noise reduction	0.15 α_w	ISO 354
Flammability	B _{f1} - s1 (loose laid tested)	EN 13501-1
Light Reflectance Value (LRV)	See right side page per colour	BS 8493
Colour Depth (L)	See right side page per colour	CIELAB

With ProBase™
backing



Cradle to Cradle Certified® is a certification mark licensed by the Cradle to Cradle Product Innovation Institute.

With EcoBase™
backing




Cradle to Cradle Certified® is a certification mark licensed by the Cradle to Cradle Product Innovation Institute.



EN 14041
0493-CPR-0002

Manufactured by


Tarkett BV
PO Box 169
NL-5240 AD
Waalwijk



2915
L 55,20 / LRV 23,12




2923
L 50,35 / LRV 18,71




2925
L 47,35 / LRV 16,29




3820
L 31,83 / LRV 7,01




3842
L 19,12 / LRV 2,78



4218
L 27,15 / LRV 5,15



4413
L 36,45 / LRV 9,24



5012
L 37,43 / LRV 9,77




5420
L 52,77 / LRV 20,84



6408
L 56,31 / LRV 24,22




7075
L 42,06 / LRV 12,54




7123
L 42,77 / LRV 13,01




8012
L 38,56 / LRV 10,40



8413
L 34,90 / LRV 8,45




8803
L 29,90 / LRV 6,19



8904
L 45,88 / LRV 15,18


More colours >>>




9005
L 44,77 / LRV 14,38



9031
L 15,85 / LRV 2,07




9036
L 45,74 / LRV 15,07



9092
L 31,59 / LRV 6,90




9095
L 50,07 / LRV 18,48




9096
L 38,97 / LRV 10,64




9502
L 25,41 / LRV 4,55




9504
L 39,22 / LRV 10,78




9507
L 44,86 / LRV 14,44




9515
L 53,00 / LRV 21,04




9523
L 44,38 / LRV 14,10




9926
53,23 / LRV 21,25



9975
35,51 / LRV 8,75



9981
27,81 / LRV 5,39



9991
16,77 / LRV 2,25



DESSO Essence 6408, 7075, 2915 / DESSO Essence Maze 7071, 9107 / DESSO Essence Stripe 7003 / DESSO Essence Structure 9965